



Ottawa Hull K1A 0G9

(21) (A1)	2,108,955
(22)	1993/10/21
(43)	1995/04/22

(51) INTL.CL.<sup>5</sup> A63B-069/36; A63B-067/10; A63B-057/00

(19) (CA) APPLICATION FOR CANADIAN PATENT (12)

(54) "R" Golfball the "Retrievable" Practice Golfball Aid

(72) Dillon, Gary - Canada ;  
Holmes, Nicolas - Canada ;

(71) Same as inventor

(57) 1 Claim

5,096,0/17

Notice: This application is as filed and may therefore contain an  
incomplete specification.



Industrie Canada Industry Canada

3488

Canada

BEST AVAILABLE COPY

Abstract

The " R " Golfball consists of the following components.

1. Golfball of normal specification and use for outdoor Golf Play.
2. Peg or Stake consisting of either Wood, Plastic or Metal with dimensions of approximately 5' in length and 2½" in Diameter.
3. Elastic Band consisting of a mix of textured polyester and rubber approximately 6' - 8' in length which when tension is applied expands to 12' - 24' in length.

BEST AVAILABLE COPY

### Specifications

The "R" Golfball Retrievable practice Golfball aid is described through the assembly of all 3 elements of the products parts. (Golfball, Peg and Elastic)

The assembly of the parts and the application can be described as follows;

\* Taking one end of the elastic band and affixing it to the Golfball using a 1" screw and then sealing open hole area using clear silacone gel.

\* Taking end two of the elastic band and securing it to the peg using a double tie knot.

The "Usefulness" of the "R" Golfball as a practice golfball aid can be described by;

1. Securing "Peg" into ground in an area of not less than 900 square feet (30'x30')
2. Placing the "R" Golfball out from the peg to the full extension of the elastic band (6'-8')
3. Taking a Golfclub you can now strike the "R" Golfball and repeat to strike the "R" Golfball using and practicing with all various Golfclubs for the sole purpose of practising all different Golf Shots.

" Upon Striking the "R" Golf Ball the Golf Ball Projects upward and outward expanding the elastic cord to extension, then. returning back towards the peg and resting to a stop."

BEST AVAILABLE COPY

Claims

We, Gary Dillon and Nicolas Holmes the inventors of the "R" Golfball make the following claims to this invention.

Any practice golf aid product which consists of the 3 elements required to produce the product including;

Elastic Band or Cord "Bungie Cord" of all type and specification whose sole purpose is to be affixed to a Golfball and Peg for use as a practice Golfball Aid

Golfball of normal specification and use for outdoor golf play whose sole function is to be affixed to an Elastic band or Cord like material "Bungie Cord" for use as a practice Golfball aid.


Peg or Stake made from Wood, Plastic or Metal whose sole function is to secure the elastic band or Cord like material "Bungie Cord" into the ground for use as a practice Golfball aid.

Any Practice Golf Aid consisting of a normal performance Golf Ball for outdoor use a elastic cord "Bungie" of any size and length, and a peg consisting of wood, metal or plastic of any thickness and length used for the purpose of striking a Golf Ball.

*Gary Dillon*

BEST AVAILABLE COPY

Drawing - The "R" Golf Ball the "RETRIEVABLE" Professional Practice Golf Aid



BEST AVAILABLE COPY